



Attorney Docket No. 1572.1338

co/c

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Bu-kil JEONG et al.

Application No.: 10/821,188

ATTENTION

Confirmation No.: 8425

CERTIFICATE OF CORRECTION

Filed: April 9, 2004

BRANCH

U.S. Patent No.: 7,204,095

Issued: April 17, 2007

For: REFRIGERATOR

Certificate

JUN 22 2007

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistakes shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Jun 20, 2007

By: [Signature]
Gene M. Garner, II
Registration No. 34,172

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

JUN 22 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,204,095

DATED : April 17, 2007

INVENTOR(S) : Bu-kil JEONG et al.

Column 5, Line 9-10, change "refrigerating;" to --refrigerating compartment;--.

Column 5, Line 51, change ".refrigerating" to --refrigerating--.

Column 6, Line 18, change "ducts" to --duct,--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,204,095

No. of add'l copies
@ 50¢ per page

⇒

JUN 22 2007